


Cartridge

338 Fed - 200/210 grain

Version 9.0

NOSLER®



338 Fed - 200/210 grain

338 Cal. (.338")

MAXIMUM SAAMI O.A.C.L.		2.820"	TESTED O.A.C.L.	B.C.	S.D.
AccuBond®	AB	200gr. Spitzer	2.800"	0.414	0.250
CT® Ballistic Silvertip®	BST	200gr. Spitzer	2.800"	0.414	0.250
Expansion Tip®	ET	200gr. Spitzer	2.750"	0.425	0.250
Due to internal construction differences, always begin with starting loads when using Expansion Tip® products.					
Partition®	PT	210gr. Spitzer	2.760"	0.400	0.263
CASE TYPE:	Federal	PRIMER TYPE		Fed 210	
CASE HOLDS:	44.5	Gr. WATER	BARREL Length/Make	24" Pac-Nor	
			BARREL Twist	1-10"	
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.		LOAD DENSITY (VOLUME)	
AA 2495	41.5 * MAX.	2410		**	106%
	39.5	2296			101%
	37.5	2182			96%
H335	42.5 MAX.	2445		**	97%
	40.5 *	2295			92%
	38.5	2145			88%
IMR 3031	40.5 MAX.	2445		**	101%
	38.5	2320			96%
	36.5 *	2195			91%
Benchmark	42.0 MAX.	2449		**	102%
	40.0	2350			97%
	38.0 *	2251			92%
TAC	44.0 MAX.	2450		**	100%
	42.0 *	2378			96%
	40.0	2306			91%
N140	44.0 * MAX.	2451		**	115%
	42.0	2351			110%
	40.0	2252			105%
IMR 4895	44.5 MAX.	2479		**	109%
	42.5 *	2365			104%
	40.5	2251			99%
Varget	45.0 * MAX.	2490		**	109%
	43.0	2389			104%
	41.0	2288			100%
RL15	46.0 MAX.	2512		**	108%
	44.0 *	2428			103%
	42.0	2343			98%
W748 Most Accurate Powder Tested	47.0 MAX.	2530		**	110%
	45.0 *	2465			105%
	43.0	2400			101%

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.

* = Most accurate load tested

** = Compressed load