Cartridge

300 RCM - 220 grain

300 RCM - 220 grain

MAXIMUM SAAMI O.A.C.L.

Version 9.0

30 Cal. (.308")

S.D.

97%


93%

109% 106%

102%

B.C.

NOSLER



TESTED O.A.C.L.

Custom Competition®			CC	220gr. HPBT	2.830"		0.690	0.331	
Partition® PT				220gr. Semi-Spitzer	2.720"		0.351	0.331	
CASE TYPE:	Horna	ıdy		PRIMER TYPE			WLRN	WLRM	
CASE HOLDS:	58.7 Gr. WATER			BARREL Length/Make			24" Pa	24" Pac-Nor	
				BARREL Twist			1-10"		
POWDER POWDER CHG.			MUZZLE VEL.			LOAD	LOAD DENSITY		
TYPE	GRS.			F.P.S.			(VOL	(VOLUME)	
H4831	57.0 55.0 53.0	* MAX.	2462			*	∗ 1	01%	
			2401				9	98%	
			2341				9	94%	
H4350	54.0 * MA 52.0 50.0	* MAX.	2528		9	97%			
			2451			9	94%		
			2374				9	90%	
Hunter	57.0	MAX.	2540			*	∗ 1	00%	

2.840"

2434 All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

2481 2422

2519

MAX. 2605

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data."

55.0

59.0

57.0

55.0

53.0 *

RL19

Most Accurate Powder Tested

^{*} Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

^{* =} Most accurate load tested

^{** =} Compressed load