


Cartridge

300 Win Mag - 175/180 grain

Version 9.0

NOSLER®



300 Win Mag - 175/180 grain

30 Cal. (.308")

MAXIMUM SAAMI O.A.C.L.		3.340"	TESTED O.A.C.L.	B.C.	S.D.
Custom Competition®	CC	175gr. HPBT	3.330"	0.505	0.264
Reduced Drag Factor™	RDF	175gr. HPBT	3.330"	0.536	0.264
AccuBond®	AB	180gr. Spitzer	3.330"	0.507	0.271
Ballistic Tip®	BT	180gr. Spitzer	3.330"	0.507	0.271
CT® Ballistic Silvertip®	BST	180gr. Spitzer	3.330"	0.507	0.271
Expansion Tip®	ET	180gr. Spitzer	3.300"	0.523	0.271
Due to internal construction differences, always begin with starting loads when using Expansion Tip® products.					
Partition®	PT	180gr. PPT	3.210"	0.361	0.271
Partition®	PT	180gr. Spitzer	3.310"	0.474	0.271

CASE TYPE:	Nosler	PRIMER TYPE	WLRM
CASE HOLDS:	82.3 Gr. WATER	BARREL Length/Make	24" H-S Prec.
		BARREL Twist	1-10"

POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)
RL23	73.5 MAX. 3020		99%
	71.5 * 2928		97%
	69.5 2837		94%
H4350	70.0 MAX. 3073		90%
	68.0 * 2971		87%
	66.0 2870		85%
PP 4000-MR	72.5 MAX. 3079		93%
	70.5 * 3001		90%
	68.5 2924		88%
RL22	75.0 MAX. 3096		99%
	73.0 2984		96%
	71.0 * 2871		94%
IMR 7828 SSC	77.0 MAX. 3099		96%
	75.0 * 2999		94%
	73.0 2899		91%
Hybrid 100V	70.5 MAX. 3106		88%
	68.5 * 3029		86%
	66.5 2953		83%
RL17	70.5 MAX. 3108		89%
	68.5 3035		86%
	66.5 * 2963		84%
H1000	81.0 MAX. 3129		** 104%
	Most Accurate Powder Tested 79.0 * 3056		** 102%
	77.0 2983		99%
IMR 4350	70.0 * MAX. 3130		91%
	68.0 3060		88%
	66.0 2990		86%
IMR 4831	73.0 MAX. 3160		95%
	71.0 3070		92%
	69.0 * 2980		90%

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary * Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data. In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.

* = Most accurate load tested

** = Compressed load