


Cartridge

300 Win Mag - 200 grain

Version 9.0

NOSLER®



300 Win Mag - 200 grain

30 Cal. (.308")

MAXIMUM SAAMI O.A.C.L.		3.340"	TESTED O.A.C.L.	B.C.	S.D.
AccuBond®	AB	200gr. Spitzer	3.340"	0.588	0.301
Partition®	PT	200gr. Spitzer	3.340"	0.481	0.301
CASE TYPE:	Nosler		PRIMER TYPE	Fed 215	
CASE HOLDS:	81.1	Gr. WATER	BARREL Length/Make	24" Lilja	
			BARREL Twist	1-10"	
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)		
IMR 7977	77.0	MAX. 2834	** 102%		
	75.0 *	2754	99%		
	73.0	2674	97%		
H1000	78.0 *	MAX. 2851	** 102%		
	76.0	2778	99%		
	74.0	2705	97%		
IMR 7828	74.0	MAX. 2882	97%		
	72.0	2807	94%		
	70.0 *	2732	92%		
Norma MRP	74.5	MAX. 2902	** 101%		
	72.5 *	2839	98%		
	70.5	2777	96%		
RL19	74.0	MAX. 2909	99%		
	72.0	2841	96%		
	70.0 *	2773	94%		
H4831 Most Accurate Powder Tested	70.5 *	MAX. 2910	91%		
	68.5	2810	88%		
	66.5	2710	85%		
IMR 4350	68.0	MAX. 2950	90%		
	66.0	2870	87%		
	64.0 *	2790	84%		
RL22	72.5 *	MAX. 2960	97%		
	70.5	2900	94%		
	68.5	2840	92%		
IMR 4831	71.0	MAX. 2972	94%		
	69.0	2917	91%		
	67.0 *	2862	88%		
MAGPRO	82.0	MAX. 2989	** 104%		
	80.0	2935	** 102%		
	78.0 *	2882	99%		

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.*

* = Most accurate load tested

** = Compressed load