


Cartridge

300 Win Mag - 220 grain

Version 9.0

NOSLER®



300 Win Mag - 220 grain

30 Cal. (.308")

MAXIMUM SAAMI O.A.C.L.		3.340	TESTED O.A.C.L.	B.C.	S.D.
Custom Competition®	CC	220gr. HPBT	3.340"	0.690	0.331
Partition®	PT	220gr. Semi-Spitzer	3.340"	0.351	0.331
CASE TYPE:	Nosler		PRIMER TYPE	Fed 215	
CASE HOLDS:	79.6	Gr. WATER	BARREL Length/Make	24" Lilja	
			BARREL Twist	1-10"	
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)		
AA 4350	61.5	MAX. 2575	87%		
	59.5	2516	84%		
	57.5 *	2457	81%		
N165	68.0	MAX. 2598	95%		
	66.0	2524	92%		
	64.0 *	2450	89%		
H1000 Most Accurate Powder Tested	75.5 * MAX.	2674	** 100%		
	73.5	2600	98%		
	71.5	2526	95%		
RL19	66.5	MAX. 2699	91%		
	64.5	2634	88%		
	62.5 *	2570	85%		
IMR 7828	68.5	MAX. 2709	92%		
	66.5	2655	89%		
	64.5 *	2602	86%		
IMR 4831	66.5 * MAX.	2736	89%		
	64.5	2676	87%		
	62.5	2615	84%		
IMR 4350	66.5 * MAX.	2739	89%		
	64.5	2662	87%		
	62.5	2585	84%		
IMR 7977	77.0 * MAX.	2745	** 104%		
	75.0	2669	** 101%		
	73.0	2592	99%		
RL22	68.5	MAX. 2757	94%		
	66.5	2706	91%		
	64.5 *	2655	88%		
RL26	74.5	MAX. 2771	96%		
	72.5 *	2686	93%		
	70.5	2600	90%		

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.*

* = Most accurate load tested

** = Compressed load