


# Cartridge

## 357 Rem Max - 158 grain

Version 9.0

# NOSLER®



## 357 Rem Max - 158 grain

## 38 Cal. (.357")

MAXIMUM SAAMI O.A.C.L.		1.990"	TESTED O.A.C.L.	B.C.	S.D.
Sporting Handgun™ Revolver		<b>SHG</b> 158gr. JHP	1.940"	0.182	0.177
CASE TYPE:	Federal	PRIMER TYPE	Fed 205		
CASE HOLDS:	24.2 Gr. WATER	BARREL Length/Make	10.5" H-S Prec.		
		BARREL Twist	1-18.75"		
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)		
<b>IMR 4227</b>	21.2 * MAX. 1781		**	104%	
	20.7	1748		**	102%
	20.2	1715			99%
<b>RL7</b> Most Accurate Powder Tested	26.5 MAX. 1839		**	119%	
	26.0	1803		**	117%
	25.5 * 1768		**	115%	
<b>W296</b>	21.0 MAX. 1842			89%	
	20.5 * 1802			86%	
	20.0 1761			84%	
<b>2400</b>	18.2 MAX. 1873			85%	
	17.7 * 1836			83%	
	17.2 1799			81%	
<b>H110</b>	23.5 MAX. 1940			99%	
	23.0 1900			97%	
	22.5 * 1860			95%	
<b>AA 1680</b>	26.6 MAX. 1992		**	116%	
	26.1 1957		**	114%	
	25.6 * 1921		**	111%	

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary  
 \* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.  
 In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data."

\* = Most accurate load tested

\*\* = Compressed load