
358 Winchester - 225 grain

Version 8.0

NOSET* UP FRONT



358 Winchester - 225 grain MAXIMUM S.A.A.M.I. O.A.C.L. 2.780"

35 Cal. (.358")

TESTED O.A.C.L. B.C. S.D.

Partition®				225gr. Spitzer	2.780"	0	.430	0.251	
CASE TYPE:	Winchester			PRIMER TYPE			WLR		
CASE HOLDS:	48.5 Gr. WATER			BARREL Length/Make			23" Lil	23" Lilja	
				BARREL Twist			1-12"	1-12"	
POWDER	POWDER CHG.			MUZZLE VEL.			LOAD	DENSITY	
TYPE	GRS.			F.P.S.			(VOLU	ME)	
H380	50.0	MAX.	2192			**	1	09%	
	48.0		2107			**	1	04%	
	46.0	*	2022				1	00%	
RL7	36.5	* MAX.	2220					32%	
Most Accurate	34.5		2100					77%	
Powder Tested	32.5		1980					73%	
IMR 4320	47.0	MAX.	2390			**	1	04%	
	45.0		2290				1	00%	
	43.0	*	2190				9	95%	
Viht N135	45.0	MAX.	2401			**	1	08%	
	43.0		2332			**	1	03%	
	41.0	*	2262				9	98%	
W748	48.5	* MAX.	2426			**x	1	04%	
	46.5		2359				1	00%	
	44.5		2292				9	96%	
IMR 4895	49.5	MAX.	2528			**x	1	12%	
	47.5		2423			**	1	08%	
	45.5	*	2318			**	1	03%	

All cartridge measurements are SAAM I maximum and due to variations from manufacturers actual measurements may vary Because Nosier, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data. In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.

^{* =} Most accurate load tested

^{** =} Compressed load