


Cartridge

45 Auto - 230 grain

Version 9.0

NOSLER®



45 Auto - 230 grain

45 Cal. (.451")

MAXIMUM SAAMI O.A.C.L.		1.275"	TESTED O.A.C.L.	B.C.	S.D.
Sporting Handgun®	SHG	230gr. JHP	1.200"	0.183	0.162
Sporting Handgun®	SHG	230gr. FMJ	1.200"	0.175	0.162
CASE TYPE:	Winchester	PRIMER TYPE	Fed. 150		
CASE HOLDS:	17.7 Gr. WATER	BARREL Length/Make	5" Douglas		
		BARREL Twist	1-16"		
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)		
WST	4.8 * MAX.	769	52%		
	4.3	723	46%		
	3.8	678	41%		
Bullseye	5.1 * MAX.	790	46%		
	4.6	730	41%		
	4.1	670	37%		
Hi-Skor 700-X	5.0 MAX.	800	56%		
	4.5	735	51%		
	4.0 *	670	45%		
Titegroup	4.7 MAX.	802	35%		
	4.2 *	709	32%		
	3.7	616	28%		
Unique Most Accurate Powder Tested	6.5 MAX.	808	62%		
	6.0	753	57%		
	5.5 *	698	53%		
HS-6	8.1 MAX.	810	50%		
	7.6 *	774	47%		
	7.1	738	44%		
AA #5	8.5 * MAX.	840	51%		
	8.0	790	48%		
	7.5	740	45%		
AutoComp	6.5 MAX.	857	43%		
	6.0 *	789	40%		
	5.5	721	37%		
Longshot	6.9 MAX.	898	49%		
	6.4	835	45%		
	5.9 *	773	42%		
Silhouette	7.3 MAX.	916	52%		
	6.8	856	48%		
	6.3 *	797	44%		

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary
 * Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.
 In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.*

* = Most accurate load tested

** = Compressed load