
## **Cartridge**

## 6.5 CM - 120 grain

Version 9.0

95%

## NOSLER



<b>U.</b> J	CIVI	- 120	graiir
MAX	мим	SAAMI	O.A.C.I

6.5mm (.264") TESTED O.A.C.L. B.C. S.D. 2.825"

BT 2.775" Ballistic Tip® 120gr. Spitzer 0.458 0.246 ET 2.775" **Expansion Tip®** 120gr. Spitzer 0.497 0.246

Due to internal construction differences, always begin with starting loads when using Expansion Tip® products. CASE TYPE: Nosler PRIMER TYPE Fed 210

	CASE HOLDS:	48.4	Gr. WATER	BARREL Lengtl	n/Make		24" Pac-Nor
				<b>BARREL Twist</b>			1-8"
POWDER POWDER CHG.		MUZZLE VEL.		LOAD DENSITY			
	TYPE	GRS.		F.P.S.			(VOLUME)
	IMR 4895	39.5	* MAX. 2944				89%
	Most Accurate	37.5	2823				84%
	Powder Tested	35.5	2701				80%
	Varget	40.0	MAX. 2948				89%
	_	20.0	* 2020				Q E 0/-

POWDER	POWDER CHG.	MUZZLE VEL.		LOAD DENSITY
TYPE	GRS.	F.P.S.		(VOLUME)
IMR 4895	39.5 * MAX. 2944	1		89%
Most Accurate	37.5 2823	3		84%
Powder Tested	35.5 270°			80%
Varget	40.0 MAX. 2948	3		89%
	38.0 * 2828	3		85%
	36.0 2708	3		80%
W760	44.5 MAX. 2978	3		96%
	42.5 2856	5		92%
	40.5 * 2733	3		88%
Big Game	44.5 MAX. 2983	3		94%
_	42.5 * 2873	3		90%
	40.5 2764	1		85%
H4350	45.0 MAX. 3018	3		98%
	43.0 * 290			94%
	41.0 2784	1		90%
RL17	44.5 MAX. 3052	2		95%
	42.5 * 2912	2		91%
	40.5 2772	2		87%
Hunter	48.5 MAX. 3069		**	103%
	46.5 2957	7		99%

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

2844

44.5

<sup>\*</sup> Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data. In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data."

<sup>\* =</sup> Most accurate load tested

<sup>\*\* =</sup> Compressed load