


Cartridge

6mm BR - Rem - 70 grain

Version 9.0

NOSLER®



6mm BR - Rem - 70 grain

6mm (.243")

MAXIMUM SAAMI O.A.C.L.		2.200"	TESTED O.A.C.L.	B.C.	S.D.
Ballistic Tip® Varmint	BTV	70gr. Spitzer	2.200"	0.310	0.169
Varmageddon®	VMG	70gr. FB Tipped	2.200"	0.305	0.169
CASE TYPE:	Remington	PRIMER TYPE	CCI 450		
CASE HOLDS:	35.8 Gr. WATER	BARREL Length/Make	24" Lilja		
		BARREL Twist	1-14"		
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)		
RL7	27.5 * MAX.	3211	83%		
	25.5	3023	77%		
	23.5	2834	71%		
H335	32.5 MAX.	3310	92%		
	30.5	3120	86%		
	28.5 *	2929	81%		
H4895	32.0 MAX.	3320	98%		
	Most Accurate Powder Tested	30.0 * 3119	92%		
		28.0 2918	86%		
H322	30.5 MAX.	3354	92%		
	28.5	3163	86%		
	26.5 *	2973	80%		
AA 2015	30.5 MAX.	3374	97%		
	28.5	3168	90%		
	26.5 *	2962	84%		
IMR 3031	31.5 * MAX.	3377	98%		
	29.5	3133	92%		
	27.5	2890	85%		
Benchmark	31.5 MAX.	3382	95%		
	29.5	3199	89%		
	27.5 *	3017	83%		
AA 2460	32.0 MAX.	3384	90%		
	30.0	3190	85%		
	28.0 *	2997	79%		
N135	32.5 * MAX.	3384	**	106%	
	30.5	3203	99%		
	28.5	3021	93%		
Varget	34.0 MAX.	3450	**	103%	
	32.0	3273	97%		
	30.0 *	3095	91%		

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary
 * Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.
 In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.*

* = Most accurate load tested
 ** = Compressed load