


Cartridge

6mm PPC - 80 grain

Version 9.0

NOSLER®



6mm PPC - 80 grain

6mm (.243")

MAXIMUM O.A.C.L.		2.100"		TESTED O.A.C.L.	B.C.	S.D.	
Ballistic Tip® Varmint		BTV	80gr. Spitzer	2.060"	0.329	0.194	
CASE TYPE:	Sako		PRIMER TYPE		Rem 7 1/2		
CASE HOLDS:	28.3	Gr. WATER	BARREL Length/Make		22" Wiseman		
			BARREL Twist		1-14"		
POWDER TYPE	POWDER CHG. GRS.		MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)			
AA 2015	25.0	MAX. 2663	<div style="width: 85%;"></div>	100%			
	24.0 *	2584	<div style="width: 75%;"></div>	96%			
	23.0	2506	<div style="width: 65%;"></div>	92%			
Varget	28.0	MAX. 2697	<div style="width: 90%;"></div>	**	107%		
	27.0	2599	<div style="width: 80%;"></div>	**	103%		
	26.0 *	2501	<div style="width: 55%;"></div>	99%			
H322	25.0 *	MAX. 2720	<div style="width: 85%;"></div>	96%			
	Most Accurate	24.0	2638	<div style="width: 75%;"></div>	92%		
	Powder Tested	23.0	2557	<div style="width: 65%;"></div>	88%		
RL7	24.0	MAX. 2760	<div style="width: 90%;"></div>	92%			
	23.0 *	2658	<div style="width: 80%;"></div>	88%			
	22.0	2556	<div style="width: 65%;"></div>	84%			
IMR 4198	22.5	MAX. 2774	<div style="width: 90%;"></div>	92%			
	21.5	2666	<div style="width: 80%;"></div>	88%			
	20.5 *	2558	<div style="width: 65%;"></div>	84%			
N130	24.0	MAX. 2775	<div style="width: 90%;"></div>	100%			
	23.0 *	2691	<div style="width: 80%;"></div>	96%			
	22.0	2607	<div style="width: 65%;"></div>	91%			
H335	27.0	MAX. 2841	<div style="width: 95%;"></div>	97%			
	26.0 *	2721	<div style="width: 85%;"></div>	93%			
	25.0	2602	<div style="width: 65%;"></div>	90%			
TAC	28.0 *	MAX. 2863	<div style="width: 95%;"></div>	100%			
	27.0	2794	<div style="width: 90%;"></div>	97%			
	26.0	2725	<div style="width: 80%;"></div>	93%			
Benchmark	26.5	MAX. 2864	<div style="width: 95%;"></div>	**	101%		
	25.5	2768	<div style="width: 85%;"></div>	97%			
	24.5 *	2672	<div style="width: 75%;"></div>	94%			
AA 2460	28.0	MAX. 2884	<div style="width: 95%;"></div>	100%			
	27.0	2791	<div style="width: 90%;"></div>	96%			
	26.0 *	2698	<div style="width: 80%;"></div>	93%			

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary
 * Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.
 In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.*

* = Most accurate load tested
 ** = Compressed load