


Cartridge

8mm (8x57) - 180 grain

Version 9.0

NOSLER®



8mm (8x57) - 180 grain

8mm (.323")

MAXIMUM SAAMI O.A.C.L.		3.250"		TESTED O.A.C.L.	B.C.	S.D.
Ballistic Tip®	BT	180gr. Spitzer		3.030"	0.394	0.246
Expansion Tip®	ET	180gr. Spitzer		3.030"	0.427	0.246
Due to internal construction differences, always begin with starting loads when using Expansion Tip® products.						
CASE TYPE:	Federal		PRIMER TYPE	WLR		
CASE HOLDS:	52.4	Gr. WATER	BARREL Length/Make	24" Lilja		
			BARREL Twist	1-10"		
POWDER TYPE	POWDER CHG. GRS.		MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)		
N140	46.0	MAX. 2543		**	102%	
	44.0 *	2440			98%	
	42.0	2336			93%	
IMR 4350	52.0	MAX. 2552		**	106%	
	50.0	2481		**	102%	
	48.0 *	2410			98%	
IMR 4064	47.0	MAX. 2639			99%	
	Most Accurate	2526			95%	
	Powder Tested	43.0 *	2413			91%
Varget	49.0	MAX. 2669		**	101%	
	47.0	2567			97%	
	45.0 *	2464			93%	
RL15	48.5	MAX. 2671			96%	
	46.5	2568			92%	
	44.5 *	2466			88%	

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.*

* = Most accurate load tested

** = Compressed load