


# Cartridge

## 257 Rob +P - 120 grain

Version 9.0

# NOSLER®



## 257 Rob +P - 120 grain

## 25 Cal. (.257")

|                               |               |                        |             |             |
|-------------------------------|---------------|------------------------|-------------|-------------|
| <b>MAXIMUM SAAMI O.A.C.L.</b> | <b>2.780"</b> | <b>TESTED O.A.C.L.</b> | <b>B.C.</b> | <b>S.D.</b> |
| Partition®                    | <b>PT</b>     | 120gr. Spitzer         | 0.391       | 0.260       |

|                    |                |                           |           |
|--------------------|----------------|---------------------------|-----------|
| <b>CASE TYPE:</b>  | Nosler         | <b>PRIMER TYPE</b>        | CCI 200   |
| <b>CASE HOLDS:</b> | 51.4 Gr. WATER | <b>BARREL Length/Make</b> | 24" Lilja |
|                    |                | <b>BARREL Twist</b>       | 1-10"     |

| <b>POWDER TYPE</b>                             | <b>POWDER CHG. GRS.</b> | <b>MUZZLE VEL. F.P.S.</b> | <b>LOAD DENSITY (VOLUME)</b> |
|--|-------------------------|---------------------------|------------------------------|
| <b>H4895</b>                                   | 34.0 * MAX.             | 2661                      | 73%                          |
|  | 32.0                    | 2537                      | 68%                          |
|  | 30.0                    | 2414                      | 64%                          |
| <b>IMR 4320</b>                                | 34.5 * MAX.             | 2690                      | 73%                          |
|  | 32.5                    | 2510                      | 69%                          |
|  | 30.5                    | 2330                      | 64%                          |
| <b>Big Game</b>                                | 39.0 MAX.               | 2747                      | 77%                          |
|  | 37.0                    | 2644                      | 73%                          |
|  | 35.0 *                  | 2541                      | 69%                          |
| <b>IMR 4064</b>                                | 35.0 * MAX.             | 2750                      | 75%                          |
|  | 33.0                    | 2630                      | 71%                          |
|  | 31.0                    | 2510                      | 67%                          |
| <b>IMR 4895</b>                                | 35.0 MAX.               | 2760                      | 74%                          |
|  | 33.0                    | 2630                      | 70%                          |
|  | 31.0 *                  | 2500                      | 66%                          |
| <b>IMR 4350</b><br>Most Accurate Powder Tested | 40.0 * MAX.             | 2780                      | 83%                          |
|  | 38.0                    | 2640                      | 79%                          |
|  | 36.0                    | 2500                      | 75%                          |
| <b>H4350</b>                                   | 42.0 * MAX.             | 2782                      | 86%                          |
|  | 40.0                    | 2677                      | 82%                          |
|  | 38.0                    | 2572                      | 78%                          |
| <b>H380</b>                                    | 38.0 MAX.               | 2790                      | 78%                          |
|  | 36.0                    | 2690                      | 74%                          |
|  | 34.0 *                  | 2590                      | 70%                          |
| <b>IMR 4831</b>                                | 42.5 MAX.               | 2800                      | 88%                          |
|  | 40.5                    | 2670                      | 84%                          |
|  | 38.5 *                  | 2540                      | 80%                          |
| <b>IMR 7828</b>                                | 47.5 * MAX.             | 2817                      | 98%                          |
|  | 45.5                    | 2707                      | 94%                          |
|  | 43.5                    | 2597                      | 90%                          |

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

\* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.\*

\* = Most accurate load tested

\*\* = Compressed load

This data was developed to the 257 Roberts +P pressure level of 58,000 psi, and should only be used in modern firearms and +P cases designed for these pressures.