


Cartridge

358 Norma Mag - 225 grain

Version 9.0

NOSLER®



358 Norma Mag - 225 grain

35 Cal. (.358")

MAXIMUM O.A.C.L.			3.346"	TESTED O.A.C.L.	B.C.	S.D.
AccuBond®	AB	225gr. Spitzer		3.260"	0.430	0.251
Partition®	PT	225gr. Spitzer		3.260"	0.421	0.251
CASE TYPE:	Norma		PRIMER TYPE			Fed 215
CASE HOLDS:	80.0	Gr. WATER	BARREL Length/Make			24" Lilja
			BARREL Twist			1-12"
POWDER TYPE	POWDER CHG. GRS.		MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)		
AA 2700	72.5	MAX. 2756		94%		
	70.5	2689		92%		
	68.5	* 2623		89%		
H380	67.0	MAX. 2760		88%		
	65.0	2680		86%		
	63.0	* 2600		83%		
IMR 4320	68.0	MAX. 2790		92%		
	66.0	2710		90%		
	64.0	* 2630		87%		
IMR 4895	67.5	* MAX. 2828		92%		
	65.5	2743		89%		
	63.5	2658		86%		
N160	79.5	* MAX. 2857		**	110%	
	77.5	2793		**	108%	
	75.5	2729		**	105%	
IMR 4350	75.0	MAX. 2878		**	100%	
Most Accurate	73.0	2803			98%	
Powder Tested	71.0	* 2728			95%	

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary
* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.
In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data."

* = Most accurate load tested

** = Compressed load