


# Cartridge

6mm BR - Rem - 80 grain

Version 9.0

# NOSLER®



6mm BR - Rem - 80 grain

6mm (.243")

MAXIMUM SAAMI O.A.C.L.		2.200"	TESTED O.A.C.L.	B.C.	S.D.	
Ballistic Tip® Varmint		<b>BTV</b>	80gr. Spitzer	2.200"	0.329	0.194
CASE TYPE:	Remington		PRIMER TYPE	CCI 450		
CASE HOLDS:	33.7	Gr. WATER	BARREL Length/Make	24" Lilja		
			BARREL Twist	1-14"		
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)			
<b>RL7</b>	26.5	MAX. 3013	85%			
	24.5 *	2814	79%			
	22.5	2616	73%			
<b>AA 2015</b>	29.0	MAX. 3039	98%			
	27.0 *	2874	91%			
	25.0	2710	84%			
<b>N135</b>	30.0	MAX. 3077	**	104%		
	28.0	2901	97%			
	26.0 *	2726	90%			
<b>H322</b>	29.0 *	MAX. 3150	93%			
	27.0	2996	87%			
	25.0	2843	80%			
<b>Varget</b>	32.5	MAX. 3160	**	104%		
	30.5	2999	98%			
	28.5 *	2838	91%			
<b>AA 2460</b>	31.0	MAX. 3167	93%			
	29.0	2959	87%			
	27.0 *	2752	81%			
<b>H4895</b>	31.5	MAX. 3176	**	103%		
	29.5 *	2985	96%			
	27.5	2795	90%			
<b>IMR 3031</b> Most Accurate Powder Tested	30.5	MAX. 3187	**	101%		
	28.5 *	2981	94%			
	26.5	2775	87%			
<b>Benchmark</b>	30.5	MAX. 3188	98%			
	28.5 *	3030	91%			
	26.5	2873	85%			
<b>AA 2520</b>	33.0	MAX. 3262	**	101%		
	31.0	3054	95%			
	29.0 *	2846	89%			

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

\* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.\*

\* = Most accurate load tested

\*\* = Compressed load