


Cartridge

6mm Rem - 70 grain

Version 9.0

NOSLER®



6mm Rem - 70 grain

6mm (.243")

MAXIMUM SAAMI O.A.C.L.		2.825"	TESTED O.A.C.L.	B.C.	S.D.
Ballistic Tip® Varmint	BTV	70gr. Spitzer	2.770"	0.310	0.169
Varmageddon®	VMG	70gr. FB Tipped	2.770"	0.305	0.169

CASE TYPE:	Remington	PRIMER TYPE	Fed 210M
CASE HOLDS:	53.2 Gr. WATER	BARREL Length/Make	24" Shilen
		BARREL Twist	1-10"

POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)
H414	47.0 MAX.	3469	92%
	45.0	3294	88%
	43.0 *	3119	84%
IMR 3031	40.0 * MAX.	3501	84%
	38.0	3371	79%
	36.0	3241	75%
IMR 4895	40.0 * MAX.	3510	82%
	38.0	3364	78%
	36.0	3217	74%
H380	45.0 MAX.	3518	89%
	43.0	3379	85%
	41.0 *	3241	81%
RL19	50.5 * MAX.	3554	** 103%
	48.5	3387	99%
	46.5	3221	95%
IMR 4320	42.0 MAX.	3569	86%
	40.0	3386	82%
	38.0 *	3203	78%
N160 Most Accurate Powder Tested	50.0 MAX.	3582	** 104%
	48.0	3436	100%
	46.0 *	3291	96%
IMR 4350	48.0 MAX.	3596	96%
	46.0	3454	92%
	44.0 *	3312	88%
IMR 4831	50.5 * MAX.	3623	** 102%
	48.5	3466	98%
	46.5	3309	93%
Big Game	48.0 MAX.	3647	92%
	46.0	3534	88%
	44.0 *	3421	84%

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data. In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.*

* = Most accurate load tested

** = Compressed load