


# Cartridge

6mm Rem - 80 grain

Version 9.0

# NOSLER®



6mm Rem - 80 grain

6mm (.243")

MAXIMUM SAAMI O.A.C.L.		2.825"	TESTED O.A.C.L.	B.C.	S.D.	
Ballistic Tip® Varmint		<b>BTV</b>	80gr. Spitzer	2.770"	0.329	0.194
CASE TYPE:	Remington	PRIMER TYPE		Fed 210M		
CASE HOLDS:	52.4 Gr. WATER	BARREL Length/Make		24" Shilen		
		BARREL Twist		1-10"		
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)			
<b>IMR 4895</b>	39.5 MAX.	3321	82%			
	37.5	3213	78%			
	35.5 *	3106	74%			
<b>RL19</b>	49.0 MAX.	3367	** 102%			
	47.0	3188	97%			
	45.0 *	3009	93%			
<b>IMR 3031</b>	39.0 MAX.	3372	83%			
	37.0	3224	78%			
	35.0 *	3076	74%			
<b>Varget</b>	42.0 * MAX.	3387	87%			
	40.0	3255	83%			
	38.0	3124	78%			
<b>RL15</b>	42.0 * MAX.	3427	83%			
	40.0	3293	80%			
	38.0	3159	76%			
<b>IMR 4064</b> Most Accurate Powder Tested	42.0 MAX.	3450	89%			
	40.0	3314	84%			
	38.0 *	3178	80%			
<b>IMR 4831</b>	48.0 * MAX.	3453	98%			
	46.0	3268	94%			
	44.0	3083	90%			
<b>Big Game</b>	47.0 MAX.	3466	92%			
	45.0	3354	88%			
	43.0 *	3242	84%			
<b>IMR 4350</b>	47.0 MAX.	3469	96%			
	45.0	3288	92%			
	43.0 *	3108	88%			
<b>H414</b>	46.0 MAX.	3476	91%			
	44.0	3315	87%			
	42.0 *	3154	83%			

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

\* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.\*

\* = Most accurate load tested

\*\* = Compressed load