


Cartridge

7mm Rem SA Ultra Mag - 168 grain

Version 9.0

NOSLER®



7mm Rem SA Ultra Mag - 168 grain

7mm (.284")

MAXIMUM SAAMI O.A.C.L.		2.825"	TESTED O.A.C.L.	B.C.	S.D.
AccuBond® Long Range	ABLR	168gr. Spitzer	2.800"	0.616	0.298
Custom Competition®	CC	168gr. HPBT	2.800"	0.520	0.298
CASE TYPE:	Nosler	PRIMER TYPE	Rem 9 1/2M		
CASE HOLDS:	63.4 Gr. WATER	BARREL Length/Make	24" Wiseman		
		BARREL Twist	1-9 1/2"		
POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)		
Hunter	58.0 * MAX.	2887	94%		
Most Accurate	56.0	2810	91%		
Powder Tested	54.0	2734	88%		
W760	55.0 * MAX.	2900	91%		
	53.0	2804	88%		
	51.0	2708	84%		
Norma URP	54.5 * MAX.	2908	96%		
	52.5	2816	93%		
	50.5	2725	89%		
RL16	54.5 MAX.	2908	97%		
	52.5 *	2821	93%		
	50.5	2735	89%		
IMR 4831	55.0 MAX.	2926	93%		
	53.0 *	2821	89%		
	51.0	2716	86%		
AA 4350	57.0 MAX.	2926	**	101%	
	55.0 *	2837	97%		
	53.0	2748	94%		
Norma 204	57.0 * MAX.	2940	100%		
	55.0	2862	96%		
	53.0	2785	93%		
RL23	58.0 MAX.	2952	**	102%	
	56.0	2866	98%		
	54.0 *	2779	95%		
Norma MRP	61.5 MAX.	3020	**	107%	
	59.5 *	2931	**	103%	
	57.5	2842	100%		
RL19	62.0 MAX.	3042	**	106%	
	60.0 *	2963	**	103%	
	58.0	2883	99%		

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary
 * Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.
 In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data."

* = Most accurate load tested

** = Compressed load