


# Cartridge

## 8mm Rem Mag - 180 grain

Version 9.0

# NOSLER®



## 8mm Rem Mag - 180 grain

## 8mm (.323")

MAXIMUM SAAMI O.A.C.L.	3.600"	TESTED O.A.C.L.	B.C.	S.D.
Ballistic Tip®	<b>BT</b> 180gr. Spitzer	3.580"	0.394	0.246
Expansion Tip®	<b>ET</b> 180gr. Spitzer	3.530"	0.427	0.246

Due to internal construction differences, always begin with starting loads when using Expansion Tip® products.

CASE TYPE:	Remington	PRIMER TYPE	Fed 215
CASE HOLDS:	90.4 Gr. WATER	BARREL Length/Make	24" Wiseman
		BARREL Twist	1-10"

POWDER TYPE	POWDER CHG. GRS.	MUZZLE VEL. F.P.S.	LOAD DENSITY (VOLUME)
<b>H4831SC</b>	85.0 MAX. 3174		98%
Most Accurate	83.0 3114		96%
Powder Tested	81.0 * 3053		93%
<b>IMR 4350</b>	79.0 MAX. 3188		93%
	77.0 3124		91%
	75.0 * 3060		89%
<b>RL19</b>	83.0 MAX. 3218		100%
	81.0 3158		97%
	79.0 * 3099		95%
<b>N165</b>	87.5 * MAX. 3236		** 108%
	85.5 3197		** 105%
	83.5 3158		** 103%
<b>IMR 7828</b>	88.0 MAX. 3265		** 104%
	86.0 * 3190		** 101%
	84.0 3115		99%
<b>RL22</b>	88.0 * MAX. 3286		** 106%
	86.0 3235		** 103%
	84.0 3184		** 101%

All cartridge measurements are SAAMI maximum and due to variations from manufacturers actual measurements may vary

\* Because Nosler, Inc. has no control over the actual components selected, the manner in which they are assembled or the condition of the firearm used, no responsibility, either expressed or implied is assumed for the use of this data.

In no event shall Nosler, Inc. be liable for any damages resulting from the use of this data.\*

\* = Most accurate load tested

\*\* = Compressed load